



CERTIFICATE OF ANALYSIS

Name of Product : Daily Booster
 Lot Number : 330222
 Specification No : 0572
 Best-if-used-by : 02/24
 Checking of raw material analysis certificates : Conforms
 Presentation : Bottle of Tablets

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Brown Tablet	Positive
2- Identification	Positive	Positive
3-No. of Tabs/bottle	90	Conforms
4- Weight of Tablet	760 mg. + - 5%	764 mg (average)
5-Tablet Size	5/16 Round	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in simulated gastric fluids USP <2040>	Less than 30 minutes	Less than 30 minutes


 Signature of Analyst


 Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.